

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"709"/\$.ccls. and (on-plane and service\$1).ti. and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:28
S2	0	"709"/\$.ccls. and (plane and service\$1).ti. and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:30
S3	0	"709"/\$.ccls. and (airplane and service\$1).ti. and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:30
S4	0	"709"/\$.ccls. and (vehicle and service\$1).ti. and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:30
S5	0	"709"/\$.ccls. and (on-plane and service\$1).ab. and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:30
S6	0	"709"/\$.ccls. and (plane and service\$1).ab. and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:30
S7	1	"709"/\$.ccls. and (airplane and service\$1).ab. and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:34
S8	0	"709"/\$.ccls. and (in-flight and service\$1).ab. and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:34

S9	0	"709"/\$.ccls. and (in-flight).ab. and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:34
S10	2	"709"/\$.ccls. and (in-flight and service\$1).ab. and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:35
S11	3	"709"/\$.ccls. and (in-flight).ab. and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:35
S12	2855	(in-flight) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:36
S13	123	(in-flight) and authoriz\$5 and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:36
S14	110	(in-flight) and authoriz\$5 and location\$1 and time and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:37
S15	41	(in-flight) and authoriz\$5 and location\$1 and time and @ad<="20010205" and (portable or wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:06
S16	3	(in-flight) and (authoriz\$5 with log\$3) and @ad<="20010205" and (portable or wireless) and location\$1 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:14

S17	16	(in-flight or airplane) and (authoriz\$5 with log\$3) and @ad<="20010205" and (portable or wireless) and location\$1 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:16
S18	3	(in-flight or airplane) and (authoriz\$5 with log\$3 with activa\$6) and @ad<="20010205" and (portable or wireless) and location\$1 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:31
S19	0	(in-flight or airplane) and (authoriz\$5 same login with activa\$6) and @ad<="20010205" and (portable or wireless) and location\$1 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:31
S20	0	(in-flight or airplane) and (authoriz\$5 same login) and @ad<="20010205" and (portable or wireless) and location\$1 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:31
S21	15	(in-flight or airplane) and (log-in) and @ad<="20010205" and (portable or wireless) and location\$1 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:32
S22	0	(in-flight or airplane) and (log-in with autoriz) and @ad<="20010205" and (portable or wireless) and location\$1 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:32
S23	6	(in-flight or airplane) and (log-in with system) and @ad<="20010205" and (portable or wireless) and location\$1 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:36
S24	30	(vehicle) and (log-in with system) and @ad<="20010205" and (portable or wireless) and location\$1 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:36

S25	12	(vehicle) and (log-in with system with authoriz\$5) and @ad<="20010205" and (portable or wireless) and location\$1 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:38
S26	16	(vehicle) and (log-in with authoriz\$5) and @ad<="20010205" and (portable or wireless) and location\$1 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 09:10
S27	580	(vehicle) same (authoriz\$5) and @ad<="20010205" and (portable or wireless) and location\$1 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:39
S28	28	(vehicle) same (authoriz\$5) same server and @ad<="20010205" and (portable or wireless) and location\$1 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:35
S29	1	("6910628").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/06 08:29
S30	1	("6549130").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/06 08:33
S31	0	("2001005178").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/06 08:33
S32	1	("20010005178").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/06 08:34
S33	17	(vehicle) same (authoriz\$5) same server and @ad<="20010205" and (portable or wireless) and (delet\$3 or remov\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:50
S34	0	(vehicle) same (authoriz\$5) same server and @ad<="20010205" and (portable or wireless) and ((delet\$3 or remov\$3) with process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:51

S35	121	(vehicle) same server and @ad<="20010205" and (portable or wireless) and ((delet\$3 or remov\$3) with process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:51
S36	0	(vehicle) same server and @ad<="20010205" and (portable or wireless) and (transport\$5 with (delet\$3 or remov\$3) with process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:52
S37	3	(vehicle) same server and @ad<="20010205" and (portable or wireless) and (server with (delet\$3 or remov\$3) with process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:56
S38	10	(vehicle) same server and @ad<="20010205" and (server with (delet\$3 or remov\$3) with process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 09:08
S39	1	@ad<="20010205" and (stag\$5 near1 server with (delet\$3 or remov\$3) with process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 09:02
S40	0	@ad<="20010205" and (transformation near1 server with (delet\$3 or remov\$3) with process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 09:03
S41	1	@ad<="20010205" and (transformation near4 server with (delet\$3 or remov\$3) with process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 09:03
S42	3	@ad<="20010205" and (transformation with server with (delet\$3 or remov\$3) with process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 09:03

S43	1	(vehicle) same server and @ad<="20010205" and (session with (delet\$3 or remov\$3) with process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 09:08
S44	15	(vehicle) and (log-in with authoriz\$5) and @ad<="20010205" and (portable or wireless) and location\$1 and time and (delet\$3 or remov\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 09:15
S45	52296	@ad<="20010205" and (portable or wireless) and (location\$1 and time) and (delet\$3 or remov\$4 or eras\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:19
S46	3072068	((delet\$3 or remov\$4) or eras\$4) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:28
S47	2987442	((delet\$3 or remov\$4) or eras\$4 same (location\$1 or geographi\$3)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:29
S48	150386	((delet\$3 or remov\$4) or eras\$4) same (location\$1 or geographi\$3)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:29
S49	11682	((delet\$3 or remov\$4) or eras\$4)with process\$3) same (location\$1 or geographi\$3)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:30
S50	1232	(vehicle or airplane or aircraft) and (((delet\$3 or remov\$4) or eras\$4)with process\$3) same (location\$1 or geographi\$3)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:30

S51	0	(vehicle or airplane or aircraft) and (((((delet\$3 or remov\$4) or eras\$4) near3 information\$1)with process\$3) same (location\$1 or geographi\$3)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:31
S52	27	(vehicle or airplane or aircraft) and (((((delet\$3 or remov\$4) or eras\$4) near3 information\$1)with process\$3) same (location\$1 or geographi\$3)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:51
S53	2	("6549130").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:52
S54	2	("4642775").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:54
S55	0	("60910628").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:54
S56	4	((("0000006") or ("0910628")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:54
S57	3	("6910628").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 11:12
S58	2	("4642775").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 11:31
S59	191	(vehicle\$1 or airplane\$1 or aircraft\$1) and (remot\$3 with allocat\$3)and (remov\$3 or delet\$3 or eras\$3) and @ad<="20010205"	USPAT	OR	OFF	2005/09/06 11:34

S60	213	(vehicle\$1 or airplane\$1 or aircraft\$1) and (remot\$3 with allocat\$3)and (remov\$3 or delet\$3 or eras\$3) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 11:34
S61	85	(vehicle\$1 or airplane\$1 or aircraft\$1) and (remot\$3 with allocat\$3)and ((remov\$3 or delet\$3 or eras\$3)with information) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 11:36
S62	62	(vehicle\$1 or airplane\$1 or aircraft\$1) and (remot\$3 with allocat\$3)and ((remov\$3 or delet\$3 or eras\$3)with information) and @ad<="20010205" and (authenticat\$4 or autoriz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 11:37
S63	36	(vehicle\$1 or airplane\$1 or aircraft\$1) and (remot\$3 with allocat\$3)and ((remov\$3 or delet\$3 or eras\$3)with information) and @ad<="20010205" and (authenticat\$4 or autoriz\$3) and (access\$3 near1 code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 11:54
S64	159	(vehicle\$1 or airplane\$1 or aircraft\$1) and ((remov\$3 or delet\$3 or eras\$3)with information) and @ad<="20010205" and (authenticat\$4 or autoriz\$3) and (access\$3 near1 code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:03
S65	32	(vehicle\$1 or airplane\$1 or aircraft\$1) same (location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3)with information) and @ad<="20010205" and (authenticat\$4 or autoriz\$3) and (access\$3 near1 code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:21
S66	16	(vehicle\$1 or airplane\$1 or aircraft\$1) same (location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3)with information) and @ad<="20010205" and (authenticat\$4 or autoriz\$3) and (access\$3 near1 code\$1) and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:34
S67	3827	(vehicle\$1 or airplane\$1 or aircraft\$1) same (location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3)with information) and @ad<="20010205" (access\$3 near1 code\$1) and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:34

S68	5791	(vehicle\$1 or airplane\$1 or aircraft\$1) same (location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3) with (location or geographic\$4 near1 information)) and @ad<="20010205" (access\$3 near1 code\$1) and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:35
S69	2697	(vehicle\$1 or airplane\$1 or aircraft\$1) same (location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) near1 information)) and @ad<="20010205" (access\$3 near1 code\$1) and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:35
S70	0	(vehicle\$1 or airplane\$1 or aircraft\$1) same (location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) near1 information)) and @ad<="20010205" and (access\$3 near1 code\$1) and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:35
S71	31	(vehicle\$1 or airplane\$1 or aircraft\$1) same (location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) near1 information)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:36
S72	9	(vehicle\$1 or airplane\$1 or aircraft\$1) same (location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) near1 information)) and @ad<="20010205" and (authenticat\$3 or authoriz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:42
S73	31	(vehicle\$1 or airplane\$1 or aircraft\$1) same (location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) near1 information)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:43
S74	0	(vehicle\$1 or airplane\$1 or aircraft\$1) same (location\$1 or geographical\$3) and (automati\$4 near1 (remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) near1 information)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:43

S75	0	(vehicle\$1 or airplane\$1 or aircraft\$1) same (location\$1 or geographical\$3) and ((immediat43 near1(remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) near1 information)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:44
S76	31	(vehicle\$1 or airplane\$1 or aircraft\$1) same (location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) near1 information)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:45
S77	30	(vehicle\$1 or airplane\$1 or aircraft\$1) same (location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) near1 data)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:45
S78	27	(vehicle\$1 or airplane\$1 or aircraft\$1) same (location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) adj data)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:46
S79	7	(vehicle\$1 or airplane\$1 or aircraft\$1) same (location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) adj data)) and @ad<="20010205" and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:52
S80	18	(vehicle\$1 or airplane\$1 or aircraft\$1) and (location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) adj data)) and @ad<="20010205" and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:58
S81	32	(location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) adj data)) and @ad<="20010205" and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:59
S82	13	GPS and (location\$1 or geographical\$3) and ((remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) adj data)) and @ad<="20010205" and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:02

S83	13	GPS and((remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) adj data)) and @ad<="20010205" and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:02
S84	32	GPS and((remov\$3 or delet\$3 or eras\$3) same ((location or geographic\$4) adj data)) and @ad<="20010205" and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:07
S85	140	GPS and((remov\$3 or delet\$3 or eras\$3) same ((location or geographic\$4) adj data) same expir\$5 or timeout) and @ad<="20010205" and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:07
S86	7	GPS and((remov\$3 or delet\$3 or eras\$3) same ((location or geographic\$4) adj data) same (expir\$5 or timeout)) and @ad<="20010205" and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:10
S87	8	((remov\$3 or delet\$3 or eras\$3) same ((location or geographic\$4) adj data) same (expir\$5 or timeout)) and @ad<="20010205" and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:10
S88	8	((remov\$3 or delet\$3 or eras\$3) same ((location or geographic\$4) near3 data) same (expir\$5 or timeout)) and @ad<="20010205" and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:10
S89	15	((remov\$3 or delet\$3 or eras\$3) same ((location or geographic\$4) with data) same (expir\$5 or timeout)) and @ad<="20010205" and satellite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:12
S90	69	((remov\$3 or delet\$3 or eras\$3) same ((location or geographic\$4) with data) same (expir\$5 or timeout)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:12

S91	0	((remov\$3 or delet\$3 or eras\$3) near1 ((location or geographic\$4) with data) same (expir\$5 or timeout)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:12
S92	307	((remov\$3 or delet\$3 or eras\$3) and ((location or geographic\$4) with data) same (expir\$5 or timeout)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:12
S93	19	((remov\$3 or delet\$3 or eras\$3) with ((location or geographic\$4) with data) same (expir\$5 or timeout)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:17
S94	1	((remov\$3 or delet\$3 or eras\$3) near2 ((location or geographic\$4) with data) same (expir\$5 or timeout)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:18
S95	0	((remov\$3 or delet\$3 or eras\$3) near2 ((location or geographic\$4) near1 data) same (expir\$5 or timeout)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:19
S96	3	((remov\$3 or delet\$3 or eras\$3) near2 ((location or geographic\$4) near1 information\$1) same (expir\$5 or timeout)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:44
S97	92	(remov\$3 or delet\$3 or eras\$3) near2 ((location or geographic\$4) near1 information\$1) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:44
S98	40	(remov\$3 or delet\$3 or eras\$3) adj ((location or geographic\$4) near1 information\$1) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:44

S99	0	vehicle\$1 and(remov\$3 or delet\$3 or eras\$3) adj ((location or geographic\$4) near1 information\$1) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:44
S10 0	3	pgs and (remov\$3 or delet\$3 or eras\$3) adj ((location or geographic\$4) near1 information\$1) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:46
S10 1	40	(remov\$3 or delet\$3 or eras\$3) adj ((location or geographic\$4) near1 information\$1) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:52
S10 2	0	(automatic\$3 with (remov\$3 or delet\$3 or eras\$3) adj ((location or geographic\$4) near1 information\$1)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:47
S10 3	0	(remov\$3 or delet\$3 or eras\$3) adj ((location or geographic\$4) near1 information\$1)same (end\$4 near1 communication) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:49
S10 4	0	(remov\$3 or delet\$3 or eras\$3) adj ((location or geographic\$4) near1 information\$1)same (finish near1 communication) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:49
S10 5	0	(remov\$3 or delet\$3 or eras\$3) adj ((location or geographic\$4) near1 information\$1)same (finish\$3 near1 communication) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:49
S10 6	0	(remov\$3 or delet\$3 or eras\$3) adj ((location or geographic\$4) near1 information\$1)same (over near1 communication) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:49

S10 7	0	(remov\$3 or delet\$3 or eras\$3) adj (((location or geographic\$4) near1 information\$1)same (over near3 communication) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:50
S10 8	0	(remov\$3 or delet\$3 or eras\$3) adj (((location or geographic\$4) near1 information\$1)same (over with communication) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:50
S10 9	3	("6910628").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:55
S11 0	2	("6430488").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:57
S11 1	0	("gpsand(((locationorgeographic)ne ar2position\$1)with(adjust\$3adjtim e))and@ad<="20010205").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:59
S11 2	0	gps and (((location or geographic) near2 position\$1) with (adjust\$3 adj time)) and @ad<="20010205"	USPAT	OR	OFF	2005/09/06 14:00
S11 3	0	gps and (((location or geographic) near2 position\$1) with (adjust\$3 adj time)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:00
S11 4	0	gps and (((location or geographic) near2 position\$1) same (adjust\$3 adj time)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:00
S11 5	0	(((location or geographic) near2 position\$1) same (adjust\$3 adj time)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:00

S11 6	0	((location or geographic) near2 position\$1) with time) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:01
S11 7	80860	((location or geographic) with time) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:01
S11 8	1	PGS and ((remote\$3 near1 access) same ((location\$ or geographic) with time)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:03
S11 9	12	vehicle and ((remote\$3 near1 access) same ((location\$ or geographic) with time)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:04
S12 0	0	vehicle and ((remote\$3 near1 access) same ((location\$ or geographic) with updated near1 time)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:05
S12 1	0	vehicle and ((remote\$3 near1 access) same ((location\$ or geographic) with specific\$3 near1 time)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:05
S12 2	0	vehicle and ((remote\$3 near1 access) same ((location\$ or geographic) with updated near1 date)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:05
S12 3	0	vehicle and ((remote\$3 near1 access) same ((location\$ or geographic) with itme)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:05

S12 4	12	vehicle and ((remote\$3 near1 access) same ((location\$ or geographic) with time)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:06
S12 5	11921	vehicle and (((location\$ or geographic) with time)) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:06
S12 6	51	(vehicle\$1 or airplane\$1 or aircraft\$1) and (((location\$ or geographic) with (updated near1 time))) and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:12
S12 7	1	("6549130").PN.	USPAT; USOCR	OR	OFF	2005/09/06 14:18
S12 8	1	("6430499").PN.	USPAT; USOCR	OR	OFF	2005/09/06 14:19
S12 9	1	("6430488").PN.	USPAT; USOCR	OR	OFF	2005/09/06 14:26
S13 0	0	("2001005178").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/06 14:26
S13 1	1	("20010005178").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/06 14:26